

M6xr

suprabeam

M6xr Defend

-∂suprabeam® мб×

M6r

THE M6 FAMILY



MORE THAN MEETS THE EYE



THE M6 FAMILY

The Suprabeam M6 family offers versatile lighting solutions tailored to various needs.

Suprabe

Suprabe

1100

M6r

M6xr

P/N: 526.6111

P/N: 526.5111

The **M6r**, with its 1100 lumens and frosted lens, provides a softer, more diffuse light beam, ideal for everyday use or environments requiring gentler illumination.

The **M6xr** delivers an impressive 2000 lumens and is equipped with a safety sensor, making it perfect for high-performance tasks while ensuring user safety.

The **M6xr Defend** stands out with its instant strobe feature for added security and a 10-lumen Anti-blinding light, offering a perfect balance of tactical functionality and precision for professionals.

Эsuprabeam[®] мб*х*

Whether for outdoor adventures, professional work, or security, the M6 family brings reliable, high-quality lighting for every situation.



M6r

1100 LUMENS

0

suprabeam® мв

The M6r has 1100 lumens, offering a bright and powerful output. This enhances visibility and performance, making it a very reliable tool for various uses.

SOFT BEAM

The M6r features a frosted lens, delivering a soft and smooth light beam. This creates a more even and comfortable illumination, perfect for reducing glare and providing a more pleasant lighting experience.

∋suprabe



SAFETY SENSOR

The Proactive Safety Sensor dims the light to 50 lumens when objects are detected too close to the light to prevent accidents, ensuring your M6xr remains safe from damage and avoids harming any nearby objects.

2000 LUMENS

日本

The M6xr is a high-performance Multilamp that emits 2000 lumens, providing exceptional brightness and clarity for all of your needs.



MBxr

NBar DEFEND

3suprabe

INSTANT STROBE

Stay safe with the powerful 19 Hz strobe mode, designed to deter potential attackers and provide a critical layer of personal security.

NORMAL LIGHT

+ + + + F

Suprabeam

asuprapadi

ANTI-BLINDING LIGHT

When inspecting documents, IDs, or other materials in dark environments, the M6xr Defend's 10-lumen low-light mode is your ideal companion.

ANTI-BLINDING LIGHT





Light Output:	Peak Lumens: 1100 lm Max Constant Lumens: 350 lm	Peak Lumens: 2000 lm Max Constant Lumens: 600 lm	Peak Lumens: 2000 lm Max Constant Lumens: 500 lm
Batteries in- cluded:	1 x Li-ion 3000 mAh, 10.8 Wh	1 x Li-ion 3000 mAh, 10.8 Wh	1 x Li-ion 3000 mAh, 10.8 Wh
Charging:	USB-C	USB-C	USB-C
LED:	1 CREE Power Chip	1 CREE Power Chip	1 CREE Power Chip
Lens:	Frosted Lens	Standard Lens	Standard Lens
Light Control:	Dimming	Dimming	4-step Control
Levels:	Max: 1100 lm Dimming: 350-3 lm	Max: 2000 lm Dimming: 600-6 lm	Max: 2000 lm, High: 500 lm, Medium: 150 lm, Low: 10 lm, Strobe: 19 hz
Runtime:	Max: 3h 30min DIM-350 lm: 3h 45min DIM-3 lm: 300h	Max: 2h 30min DIM-350 lm: 2h 45min DIM-6 lm: 260h	Max: 2h 45min High: 3h Medium: 11h 15min Low: 140h
Light Beam:	Soft Beam - 20°/60°	Mixed Beam - 20°/60°	Mixed Beam - 20°/60°
Beam Distance:	105 m	165 m	165 m
Weight:	111 g	114 g	114 g
Part No.:	526.5111	526.6111	526.7111
EAN-CODE:	5704049912410	5704049911628	5704049912564

WHAT'S INCLUDED?







HEADBAND

BATTERY



LAMP





ADHESIVE HELMET MOUNT

USB-C CABLE

STRAP



PART NO.: 951.029

PART NO.: 950.012

PART NO.: 995.0153



LI-ION 18650 3000 mAh BATTERY

PART NO.: 950.074



STRAP MOUNT



BIKE MOUNT

C4 CHARGING STATION

2 OR 4 BATTERIES

PART NO.: 952.002/952.003



SCHLAUFEN-ENDKAPPE

PART NO.: 995.0172



ROTATING HOLSTER

THUMBS UP

The shape and design of the M6 helps you maintain the right grip and angle to illuminate your path effectively, but also reduce wrist and arm strain. Whether you're navigating in the dark, working on a task or exploring, the ergonomic position ensures a secure and efficient use of your multilamp.

110°

ERGONOMIC DESIGN

Say goodbye to uncomfortable handling and hello to effortless control. Whether you're navigating a dimly lit trail or tinkering in tight spaces, our ergonomically designed multilamp guarantees a seamless and comfortable lighting experience like never before.

COMPACT POWER

WHEN SIZE

MATTERS

Our small yet powerful multilamp fits right into the palm of your hand, making it the ultimate companion fort any adventure. Illuminate your path and conquer the darkness with our compact and powerful multilamp.



FLASHLIGHT

Эsuprabeam[®] мв.;;

HEADBAND MOUNT

The headband mount on the M6 significantly enhances comfort for users. Designed with an expanded, ergonomic fit, it distributes the weight of the headlamp more evenly across the forehead. This reduces pressure points and minimizes discomfort during extended use.

OUICK RELEASE MOUNT

Our development team has designed this mount specifically for the M6 and has found the perfect balance between a tight grip around the light, and easy mounting and dismounting.

ENDLESS MOUNTING OPTIONS

ANGLE ADJUSTMENT

10.00

When using M6 as a headlamp, it is easy to adjust the light angle to any situation you might encounter. The angle is easily adjusted by turning the multilamp in the mount.

EXTRA MOUNT

METAL CLIP

VERSATILE HELMET MOUNTING

ADHESIVE MOUNT

M6 can be mounted on any helmet with the Adhesive Mount, which makes it ideal for use on hardhats. In addition, when using the Adhesive Mount or headband the M6 can easily be dismounted, for closer inspections, and clicked back onto the helmet again with ease.



WATER-AND DUSTPROOF

USB-C

CHARGING



Charging Convenience: USB-C provides faster charging and a universal connection. Its reversible design ensures easy use

IP68

The M6 has received the IP68 classification, meaning that it is completely water- and dustproof. The M6 has been tested down to 2 meters. This means that you can use the light in every thinkable weather situation, without having to worry.

ENDLESS POWER

Charging the battery outside of the lamp, gives you the possibility to purchase a second battery which you can use in the lamp while charging the other. Indeed, a very useful feature for the professional user.

The M6 headband features innovative silicone dots with anti sweating effect. The strategically placed silicone dots create a grippy surface that holds the headlamp securely in place enhances breathability by allowing air to circulate more freely.

M6 can be attached to any magnetic surface with the powerful

useful feature when using the M6 for area lighting.

Ŧ

 \ominus

48 g

magnet integrated in the bottom of the light. This is an extremely

2x16 g

-30°C

Whether you're navigating through a sweltering summer hike or braving the icy depths of winter, embrace the reliability of all-season lighting with our temperature-controlled multilamp.

SILICONE DOTS

MAGNETIC

CR123

BATTERIES

Suprabe

COLD AND HOT

Our lens is carefully designed by our engineers to create the best possible light setting for outdoor users while being active.

MIXED BEAM 165 METERS LIGHT

Suprabeam M6xr is CR123 compatible and can be used with 2x CR123 disposable batteries, instead of the included rechargeable battery.

The electronic switch allows quick operation of the MAX POWER function and the integration of the advanced DIMMING function. This feature is available on M6r and M6xr.



YOUR LIGHT YOUR ANGLE



PART NO.: 995.0172

ROTATING HOLSTER

Say Hi to the M6 360-degree rotating holster with a clip designed specifically for MOLLE mounting slots. This smart holster allows you to operate your M6 hands-free, pointing it in any direction to light up your environment effortlessly.

* Sold separately



BIKE MOUNT

PART NO.: 950.012

BIKING WITH M6

We provide our Bike Mount as an accessory, which works perfectly with the M6, making it easy to mount the light on a bicycle handlebar. If you prefer having your light on your helmet, the M6 can easily be mounted with the strap mounts.

* Sold separately



STRAP MOUNT PART NO.: 950.074

ALSO FROM US

Subrabeam[®]

V3*air rechargeable* PART NO.: 610.5211



V3*pro rechargeable* PART NO.: 612.5211







Suprabeam A/S Dyssen 3 DK-8200 Aarhus N, Denmark

Phone: +45 87 525 212 E-mail: info@suprabeam.com www.suprabeam.com



SCAN TO EXPLORE THE FULL SUPRABEAM RANGE